

BIOSECURITY CHECKLIST page 1

| External Biosecurity | Yes/No | Comments for Improvement |
|--|--------|--------------------------|
| Livestock facilities are located away from other livestock facilities and major transportation routes. | Y / N | |
| Livestock buildings are locked when unattended. | Y / N | |
| Signs restricting entrance and giving instructions to report to designated point are posted. | Y / N | |
| There is a designated parking area for visitors. | Y / N | |
| Premise is fenced and driveway is gated to control entry. | Y / N | |
| Farm adheres to written policy regarding requirements for employees, service personnel and visitors. | Y / N | |
| Boots and coveralls are supplied to all visitors entering animal areas. | Y / N | |
| Equipment brought into facilities is cleaned and disinfected. | Y / N | |
| The sources of new animals are kept to a minimum. | Y / N | |
| New animals are from a known source, have been tested and found free of the diseases of concern. | Y / N | |
| The isolation facility is located such that direct and indirect contact between the animals in isolation and the rest of the herd is prevented. | Y / N | |
| New animals are kept separated from the resident herd, monitored for signs of illness and exposed to the resident herd in consultation with the herd's veterinarian. | Y / N | |
| Animals that have left the herd temporarily for exhibition are handled as new animals upon re-entering the herd. | Y / N | |
| Before being exposed to the herd, new animals are immunized against diseases known to be in the herd. | Y / N | |
| New animals receive treatments against parasites before moving to the herd. | Y / N | |
| Livestock trucks deliver and load-out animals at a site remote from livestock housing units. | Y / N | |
| Drivers of feed and livestock trucks are instructed not to enter buildings. | Y / N | |
| Feed delivery trucks are clean and do not enter animal areas. | Y / N | |
| Livestock trucks are cleaned and disinfected before arrival for loading-out. | Y / N | |
| Water and feed are from uncontaminated sources. | Y / N | |
| Supplies of water and feed are protected from contamination during storage and distribution. | Y / N | |
| Animals are denied access to flowing water such as streams and rivers. | Y / N | |
| In confinement facilities, contact with wildlife and birds is prevented by fencing and screening. | Y / N | |

BIOSECURITY CHECKLIST page 2

| Internal Biosecurity | Yes/No | Comments for Improvement |
|---|--------|--------------------------|
| Health of the herd is monitored by observations, testing and production records. | Y / N | |
| Disease control/prevention programs, including deworming, vaccination and medication protocols, are designed in consultation with a veterinarian. | Y / N | |
| Animals are housed and fed in ways to minimize stress, crowding and fighting. | Y / N | |
| Animals are housed separately by age groups and moved using all-in/all-out pig flow. | Y / N | |
| Pens are cleaned and disinfected between groups. | Y / N | |
| Personnel duties are assigned in a manner to minimize the risk of spreading diseases between groups within the herd. | Y / N | |
| Sick animals are immediately treated and/or removed from groups to treatment areas to reduce exposure to others. | Y / N | |
| Any unusual illness is immediately brought to the attention of the herd veterinarian. | Y / N | |
| Professional pest control services are used to prevent rodent and insect infestations. | Y / N | |
| Building design and maintenance discourage the entry and harborage of pests. | Y / N | |
| Access to feed by rodents is minimized by storage in rodent-proof containers and the prompt clean-up of spills. | Y / N | |
| Moribund and dead animals are immediately removed from the animal area. | Y / N | |
| Dead animals are disposed of promptly in an approved manner to prevent spread of disease, cannibalism and the attraction of scavengers. | Y / N | |
| Access to manure by animals is reduced by timely cleaning and removal. | Y / N | |

BIOSECURITY CHECKLIST page 3

| Prevention of Foreign Animal Diseases/Agroterrorism | Yes/No | Comments for Improvement |
|---|--------|--------------------------|
| Employees are trained to be vigilant and report suspicious visitors, activities or materials. | Y / N | |
| Unusual or suspicious events are recorded. | Y / N | |
| Premises are well-illuminated at night. | Y / N | |
| Premises are under electronic surveillance (video cameras, motion detectors, alarms) at strategic places to aid in safeguarding workers, animals, facilities and equipment. | Y / N | |
| The farm water system is protected from vandalism. | Y / N | |
| Pesticides, chemicals and fertilizers are secured. | Y / N | |
| International visitors are required to have at least 5 days free of animal contact before farm entry. | Y / N | |
| International visitors must wear farm-supplied clothing and boots. | Y / N | |
| Personal items that cannot be disinfected are prohibited in the production areas. | Y / N | |
| Unnecessary animal contact by visitors is prohibited. | Y / N | |
| Visitors are restricted to those with a verified need to be there. Visitors are always with an escort. | Y / N | |
| Imported foods are prohibited. | Y / N | |
| Job applicants are thoroughly screened; references and background are checked. | Y / N | |
| New employees are closely supervised. | Y / N | |
| Requests for tours and sensitive information are denied to people you don't know. | Y / N | |
| The facility has an emergency action plan. | Y / N | |
| Contact has been established with local law enforcement officials. | Y / N | |
| Suspicious activities are promptly reported to appropriate officials. | Y / N | |
| Unusual or severe animal diseases are reported to your veterinarian or state/federal animal health officials promptly. | Y / N | |